

Issue Date 02-Jun-2017

Revision Date 02-Jun-2017

Version 1

1. IDENTIFICATION

Product identifier

Product Name FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT CREME COLOR FOR DARK HAIR
- 14 NATURAL

Other means of identification

Product Code AA80140001

Recommended use of the chemical and restrictions on use

Recommended Use Personal Care Product. For professional use only.

Uses advised against All other uses. Not for personal use in this form or concentration.

Details of the supplier of the safety data sheet

Supplier Address

The Estée Lauder Companies Inc.
125 Pinelawn Road
Melville, NY 11747

Emergency telephone number

Company Phone Number 1-877-311-3883

Emergency Telephone Chemtrec 1-800-424-9300
Chemtrec International +1 703-741-5970

E-mail address SDS@ESTEE.COM

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity

18.8% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
GLYCERYL STEARATE	31566-31-1	5 - 10*
AMMONIUM HYDROXIDE	1336-21-6	3 - 7*
GLYCERIN	56-81-5	1 - 5*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

No hazards which require special first aid measures.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin contact

Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Ingestion

Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms

None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Use water. Do not use dry chemicals or foams. CO₂ or Halon may provide limited control.

Large Fire Flood fire area with water from a distance.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection.

Environmental precautions

Environmental precautions Prevent product from entering drains. Dispose of contents/container to an approved waste disposal plant.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect spillage.

Methods for cleaning up Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers upright and tightly closed when not in use.

Incompatible materials Acids. Bases. Alcohols. Combustible material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
GLYCERYL STEARATE 31566-31-1	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
GLYCERIN 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction	-

Appropriate engineering controls

Engineering Controls

Eyewash stations. Showers. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance

match to standard

Odor

match to standard

Color

match to standard

Property

Values

pH

No information available

Melting point/freezing point

No information available

Boiling point / boiling range

No information available

Flash point

94 °C / 201 °F

Burn rate

Not applicable

Burn time

Not applicable

Evaporation rate

No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:

No information available

Lower flammability limit:

No information available

Vapor pressure

No information available

Vapor density

No information available

Specific Gravity

No information available

Water solubility

No information available

Solubility in other solvents

No information available

Partition coefficient

No information available

Autoignition temperature

No information available

Decomposition temperature

No information available

Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Bases. Alcohols. Combustible material.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg (Rat)	-	-
GLYCERIN 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms	No information available.
-----------------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
----------------------	---------------------------

Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Eyes, Respiratory system, kidney, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUIDS, N.O.S.
Hazard Class	8
Packing Group	II
Special Provisions	B2, IB2, TII, TP2, TP27
Description	UN1760, CORROSIVE LIQUIDS, N.O.S. (AMMONIUM HYDROXIDE), 8, II
Emergency Response Guide Number	154

TDG

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II

MEX

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Special Provisions	274
Packing Group	II
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II

ICAO (air)

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Special Provisions	A3
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II

IATA

UN/ID no.	UN1760
Proper shipping name	Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group	II
ERG Code	8L
Description	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II

IMDG

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
EmS-No.	F-A, S-B
Special Provisions	274
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Marine pollutant

RID

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Classification code	C9
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Environmentally Hazardous
Labels	8

ADR

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Classification code	C9
Tunnel restriction code	(E)
Special Provisions	274
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Environmentally Hazardous
Labels	8

ADN

UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Classification code	C9

Special Provisions	274
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Environmentally Hazardous
Hazard label(s)	8
Limited quantity (LQ)	1 L

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM CARBONATE 10361-29-2	5000 lb	-	-	-
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	X

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SAFROLE 94-59-7	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMMONIUM HYDROXIDE 1336-21-6	X	X	X
GLYCERIN 56-81-5	X	X	X

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Revision Date 02-Jun-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet