

SAFETY DATA SHEET

Issue Date 31-May-2017 Revision Date 31-May-2017 Version 1

1. IDENTIFICATION

Product identifier

Product Name FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR -

DARK ORANGE RED

Other means of identification

Product Code AA7Y080003

Recommended use of the chemical and restrictions on use

Recommended Use Personal Care Product. For professional use only.

Uses advised againstAll other uses. Not for personal use in this form or concentration.

Details of the supplier of the safety data sheet

Supplier Address

The Estée Lauder Companies Inc.

125 Pinelawn Road Melville, NY 11747

Emergency telephone number

Company Phone Number 1-877-311-3883

Emergency Telephone Chemtrec 1-800-424-9300

Chemtrec International +1 703-741-5970

E-mail address SDS@ESTEE.COM

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 2

Label elements

Danger

Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye damage Suspected of causing genetic defects



AA7Y080003 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - DARK ORANGE RED

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity

12.6% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical Name	CAS No.	Weight-%
RESORCINOL	108-46-3	5 - 10*
p-AMINOPHENOL	123-30-8	5 - 10*
GLYCERYL STEARATE	31566-31-1	5 - 10*
AMMONIUM HYDROXIDE	1336-21-6	1 - 5*
GLYCERIN	56-81-5	1 - 5*
AMINOMETHYL PROPANOL	124-68-5	1 - 5*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice No hazards which require special first aid measures.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin contactWash with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of

water. Call a physician or poison control center immediately.

AA7Y080003 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - DARK ORANGE RED

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control.

Large Fire Flood fire area with water from a distance.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

Explosion data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate

ventilation, especially in confined areas. Wear protective gloves/protective clothing and

eye/face protection.

Environmental precautions

Environmental precautions Prevent product from entering drains. Dispose of contents/container to an approved waste

disposal plant.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect

spillage.

Methods for cleaning upClean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used

when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance

with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep

containers upright and tighly closed when not in use.

Incompatible materials Acids. Bases. Alcohols. Combustible material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
RESORCINOL	STEL: 20 ppm	-	TWA: 10 ppm
108-46-3	TWA: 10 ppm		TWA: 45 mg/m ³
			STEL: 20 ppm
			STEL: 90 mg/m ³
GLYCERYL STEARATE	TWA: 10 mg/m ³ except stearates	-	-
31566-31-1	of toxic metals		
GLYCERIN	-	TWA: 15 mg/m³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m³ mist, respirable	
		fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Eyewash stations. Showers. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearancegrainy, shiny, viscous emulsionOdorammonia, with a hint of lavenderColorpearly white to yellowish tan

Property Values 10.5

Melting point/freezing pointNo information availableBoiling point / boiling rangeNo information available

Flash point 94 °C / 201 °F

AA7Y080003 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - DARK ORANGE RED

Burn rateNot applicableBurn timeNot applicable

Evaporation rateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.005

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Kinematic viscosity 1800000

Dynamic viscosity

Explosive properties

Oxidizing properties

No information available
No information available
No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Bases. Alcohols. Combustible material.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Component Information

Data within this section obtained from international chemical toxicological profiles.

AA7Y080003 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - DARK ORANGE RED

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
RESORCINOL 108-46-3	= 202 mg/kg (Rat)	= 3360 mg/kg (Rabbit)	= 21.3 mg/L (Rat) 1 h
p-AMINOPHENOL 123-30-8	= 375 mg/kg (Rat)	> 8000 mg/kg(Rabbit)> 10 g/kg(Rabbit)	> 5.91 mg/kg (Rat) 1 h
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg (Rat)	-	-
GLYCERIN 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 570 mg/m³ (Rat) 1 h
AMINOMETHYL PROPANOL 124-68-5	= 2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Germ cell mutagenicity** No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

Target Organ Effects blood, Central Vascular System (CVS), Central nervous system, Eyes, Respiratory system,

kidney, liver, Skin, spleen.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group ||

Special Provisions B2, IB2, TII, TP2, TP27

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,

Emergency Response Guide 154

Number

TDG

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class
Packing Group

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,

MEX

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class
Packing Group

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

ICAO (air)

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
Special Provisions A3

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

<u>IATA</u>

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
ERG Code 8L
Special Provisions A3, A803

<u>IMDG</u>

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
EmS-No. F-A, S-B
Special Provisions 274

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,

Marine Pollutant

RID

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
Classification code C9

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

AA7Y080003 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - DARK ORANGE RED

Labels 8

<u>ADR</u>

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
Classification code C9
Tunnel restriction code (E)
Special Provisions 274

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,

(E)

Labels 8

ADN

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s.

Hazard Class8Packing GroupIIClassification codeC9Special Provisions274

Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

Hazard label(s) 8 Limited quantity (LQ) 1 L

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
RESORCINOL 108-46-3	5000 lb	-	-	Х
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	Х
SODIUM HYDROXIDE 1310-73-2	1000 lb	-	-	Х

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
RESORCINOL 108-46-3	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SODIUM HYDROXIDE 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SAFROLE 94-59-7	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Revision Date 31-May-2017

Chemical Name	New Jersey	Massachusetts	Pennsylvania
RESORCINOL 108-46-3	X	X	Х
AMMONIUM HYDROXIDE 1336-21-6	X	X	X
GLYCERIN 56-81-5	X	X	X
AMINOMETHYL PROPANOL 124-68-5	X	X	X
SODIUM HYDROXIDE 1310-73-2	X	X	X

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Revision Date Disclaimer

31-May-2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet