

# SAFETY DATA SHEET

Issue Date 02-Jun-2017	Revision Date 02-Jun-2017	Version 1
	1. IDENTIFICATION	
Product identifier Product Name	FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT F DARK RED RED	PURE TONE FOR DARK HAIR -
Other means of identification Product Code	AA7Y120003	
Recommended use of the chemica Recommended Use Uses advised against	Il and restrictions on use Personal Care Product. For professional use only. All other uses. Not for personal use in this form or conce	entration.
Details of the supplier of the safety Supplier Address The Estée Lauder Companies Inc. 125 Pinelawn Road Melville, NY 11747	<u>y data sheet</u>	
Emergency telephone number Company Phone Number Emergency Telephone	1-877-311-3883 Chemtrec 1-800-424-9300 Chemtrec International +1 703-741-5970	
E-mail address	SDS@ESTEE.COM	

# 2. HAZARDS IDENTIFICATION

# **Classification**

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2

### Label elements

# Danger

Hazard statements Causes skin irritation Causes serious eye damage May cause an allergic skin reaction Suspected of causing genetic defects



# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

### **Precautionary Statements - Storage**

Store locked up

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

Unknown acute toxicity

11% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### <u>Mixture</u>

Chemical Name	CAS No.	Weight-%
COCAMIDE MEA	68140-00-1	7 - 13*
GLYCERYL STEARATE	31566-31-1	5 - 10*
AMMONIUM HYDROXIDE	1336-21-6	1 - 5*
p-AMINOPHENOL	123-30-8	1 - 5*
GLYCERIN	56-81-5	1 - 5*
TOLUENE-2,5-DIAMINE SULFATE	615-50-9	1 - 5*
AMINOMETHYL PROPANOL	124-68-5	1 - 5*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

### **Description of first aid measures**

General advice	No hazards which require special first aid measures.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.

Ingestion	Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effects, both acute and delayed			
Symptoms	None known.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

# **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire	Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control.
Large Fire	Flood fire area with water from a distance.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

Explosion data Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection.	
Environmental precautions		
Environmental precautions	Prevent product from entering drains. Dispose of contents/container to an approved waste disposal plant.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect spillage.	
Methods for cleaning up	Clean contaminated surface thoroughly.	
7. HANDLING AND STORAGE		

#### Precautions for safe handling

Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used

when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers upright and tighly closed when not in use.
Incompatible materials	Acids. Bases. Alcohols. Combustible material.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
GLYCERYL STEARATE	TWA: 10 mg/m <sup>3</sup> except stearates	-	-
31566-31-1	of toxic metals		
GLYCERIN	-	TWA: 15 mg/m <sup>3</sup> mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m <sup>3</sup> mist, respirable	
		fraction	

# Appropriate engineering controls

Engineering Controls	Eyewash stations. Showers. Ventilation systems.
----------------------	---

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid
Appearance	match to standard
Odor	match to standard
Color	match to standard
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point Burn rate Burn time Evaporation rate	<u>Values</u> No information available No information available 94 °C / 201 °F Not applicable Not applicable No information available

Flammability (solid, gas) Flammability Limit in Air	No information available
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### Incompatible materials

Acids. Bases. Alcohols. Combustible material.

### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available		
Inhalation	No data available.		
Eye contact	No data available.		
Skin contact	Skin contact No data available.		
Ingestion	No data available.		
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50

# AA7Y120003 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - DARK RED RED

COCAMIDE MEA 68140-00-1	= 3300 mg/kg (Rat)	-	-
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg(Rat)	-	-
p-AMINOPHENOL 123-30-8	= 375 mg/kg(Rat)	> 10 g/kg (Rabbit)> 8000 mg/kg ( Rabbit)	> 5.91 mg/kg (Rat)1 h
GLYCERIN 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³(Rat)1 h
TOLUENE-2,5-DIAMINE SULFATE 615-50-9	= 98 mg/kg (Rat)	-	-
AMINOMETHYL PROPANOL 124-68-5	= 2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

# Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity STOT - single exposure STOT - repeated exposure Target Organ Effects	No information available. No information available. No information available. Eyes, Respiratory system, kidney, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

None known

# Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods		
Disposal of wastes	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).	
Contaminated packaging	Do not reuse container.	
14. TRANSPORT INFORMATION		

DOT UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	UN1760 CORROSIVE LIQUIDS, N.O.S. 8 II B2, IB2, TII, TP2, TP27 UN1760, CORROSIVE LIQUIDS, N.O.S. (AMMONIUM HYDROXIDE), 8, II 154
<u>TDG</u> UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1760 CORROSIVE LIQUID, N.O.S. 8 II UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II
<u>MEX</u> UN/ID no. Proper shipping name Hazard Class Special Provisions Packing Group Description	UN1760 CORROSIVE LIQUID, N.O.S. 8 274 II UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II
ICAO (air) UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN1760 CORROSIVE LIQUID, N.O.S. 8 II A3 UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II
IATA UN/ID no. Proper shipping name Hazard Class Packing Group ERG Code Description	UN1760 Corrosive liquid, n.o.s. 8 II 8L UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group EmS-No. Special Provisions Description	UN1760 CORROSIVE LIQUID, N.O.S. 8 II F-A, S-B 274 UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Marine pollutant
<u>RID</u> UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Description Labels	UN1760 CORROSIVE LIQUID, N.O.S. 8 II C9 UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Environmentally Hazardous 8

ADR	
UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Classification code	C9
Tunnel restriction code	(E)
Special Provisions	274
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Environmentally
	Hazardous
Labels	8
ADN	
UN/ID no.	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	II
Classification code	C9
Special Provisions	274
Description	UN1760, CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), 8, II, Environmentally
	Hazardous
Hazard label(s)	8
Limited quantity (LQ)	1 L

# **15. REGULATORY INFORMATION**

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM HYDROXIDE	1000 lb	-	-	Х
1336-21-6				

#### CERCLA

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Γ	AMMONIUM HYDROXIDE	1000 lb	-	RQ 1000 lb final RQ
	1336-21-6			RQ 454 kg final RQ
Γ	SAFROLE	100 lb	-	RQ 100 lb final RQ
	94-59-7			RQ 45.4 kg final RQ

# US State Regulations

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMMONIUM HYDROXIDE	Х	X	X
1336-21-6			
GLYCERIN	Х	X	X
56-81-5			
AMINOMETHYL PROPANOL	Х	Х	Х
124-68-5			

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

**Revision Date** 

02-Jun-2017

Disclaimer

02-Jun-201

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet