

SAFETY DATA SHEET

Issue Date 31-May-2017

Revision Date 31-May-2017

Version 1

1. IDENTIFICATION

Product identifier		
Product Name	FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - LIGHT YELLOW GREEN	
<u>Other means of identification</u> Product Code	AA7Y030002	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Personal Care Product. For professional use only.	
Uses advised against	All other uses. Not for personal use in this form or concentration.	
Details of the supplier of the safety	data sheet_	
Supplier Address		
The Estée Lauder Companies Inc.		
125 Pinelawn Road		
Melville, NY 11747		
Emergency telephone number		
Company Phone Number	1-877-311-3883	
Emergency Telephone	Chemtrec 1-800-424-9300	
	Chemtrec International +1 703-741-5970	
E-mail address	SDS@ESTEE.COM	
2. HAZARDS IDENTIFICATION		

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2

Label elements

Danger

Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye damage May cause an allergic skin reaction Suspected of causing genetic defects

AA7Y030002 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - LIGHT YELLOW GREEN



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity

12.6% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
GLYCERYL STEARATE	31566-31-1	5 - 10*
RESORCINOL	108-46-3	3 - 7*
AMMONIUM HYDROXIDE	1336-21-6	1 - 5*
p-AMINOPHENOL	123-30-8	1 - 5*
GLYCERIN	56-81-5	1 - 5*
TOLUENE-2,5-DIAMINE SULFATE	615-50-9	1 - 5*
AMINOMETHYL PROPANOL	124-68-5	1 - 5*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	No hazards which require special first aid measures.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	None known.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire	Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control.
Large Fire	Flood fire area with water from a distance.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

Explosion data Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection.

Environmental precautions

Environmental precautions	Prevent product from entering drains. Dispose of contents/container to an approved waste
	disposal plant.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect spillage.	
Methods for cleaning up	Clean contaminated surface thoroughly.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers upright and tighly closed when not in use.	
Incompatible materials	Acids. Bases. Alcohols. Combustible material.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

Control parameters

Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
GLYCERYL STEARATE 31566-31-1	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
RESORCINOL 108-46-3	STEL: 20 ppm TWA: 10 ppm	-	TWA: 10 ppm TWA: 45 mg/m ³ STEL: 20 ppm STEL: 90 mg/m ³
GLYCERIN 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction	-

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls	Eyewash stations. Showers. Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Color

Property pН Melting point/freezing point Boiling point / boiling range Flash point **Burn rate Burn time Evaporation rate** Flammability (solid, gas) Flammability Limit in Air **Upper flammability limit:** Lower flammability limit: Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dynamic viscosity Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density Liquid grainy, shiny, viscous emulsion ammonia, with a hint of lavender pearly white to yellowish tan

Values 10.5

No information available No information available 94 °C / 201 °F Not applicable Not applicable No information available 1.005 No information available 1800000 No information available No information available No information available

No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available <u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> Acids. Bases. Alcohols. Combustible material. <u>Hazardous Decomposition Products</u> None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Component Information

Data within this section obtained from international chemical toxicological profiles.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
RESORCINOL 108-46-3	= 202 mg/kg (Rat)	= 3360 mg/kg (Rabbit)	= 21.3 mg/L (Rat)1 h
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg (Rat)	-	-
p-AMINOPHENOL 123-30-8	= 375 mg/kg (Rat)	> 8000 mg/kg (Rabbit)> 10 g/kg (Rabbit)	> 5.91 mg/kg (Rat)1 h
GLYCERIN 56-81-5	= 12600 mg/kg(Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³(Rat)1 h
TOLUENE-2,5-DIAMINE SULFATE 615-50-9	= 98 mg/kg (Rat)	-	-
AMINOMETHYL PROPANOL 124-68-5	= 2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	No information available. No information available. No information available. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.
Target Organ Effects	blood, Central Vascular System (CVS), Central nervous system, Eyes, Respiratory system, kidney, liver, Skin, spleen.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available		
	13. DISPOSAL CONSIDERATIONS		
Waste treatment methods			
Disposal of wastes	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).		
Contaminated packaging	Do not reuse container.		
	14. TRANSPORT INFORMATION		
DOT UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	UN1760 Corrosive liquid, n.o.s. 8 II B2, IB2, TII, TP2, TP27 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II, 154		
TDG UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1760 Corrosive liquid, n.o.s. 8 II UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,		
<u>MEX</u> UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1760 Corrosive liquid, n.o.s. 8 II UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II		
ICAO (air) UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN1760 Corrosive liquid, n.o.s. 8 II A3 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II		
IATA UN/ID no. Proper shipping name Hazard Class Packing Group ERG Code Special Provisions	UN1760 Corrosive liquid, n.o.s. 8 II 8L A3, A803		

IMDG UN/ID no. Proper shipping name Hazard Class Packing Group EmS-No. Special Provisions Description	UN1760 Corrosive liquid, n.o.s. 8 II F-A, S-B 274 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II, Marine Pollutant
<u>RID</u> UN/ID no.	UN1760
Proper shipping name Hazard Class	Corrosive liquid, n.o.s. 8
Packing Group Classification code	II C9
Description Labels	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II 8
ADR	UN1760
UN/ID no. Proper shipping name	Corrosive liquid, n.o.s.
Hazard Class Packing Group	8
Classification code Tunnel restriction code	C9 (E)
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II, (E)
Labels	8
ADN	
UN/ID no. Proper shipping name	UN1760 Corrosive liquid, n.o.s.
Hazard Class	8
Packing Group Classification code	II C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II
Hazard label(s) Limited quantity (LQ)	8 1 L
	· -

15. REGULATORY INFORMATION

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
RESORCINOL 108-46-3	5000 lb	-	-	Х
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	Х
SODIUM HYDROXIDE	1000 lb	-	-	Х

AA7Y030002 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT PURE TONE FOR DARK HAIR - LIGHT YELLOW GREEN

1310-73-2		
CERCLA		

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
RESORCINOL	5000 lb	-	RQ 5000 lb final RQ
108-46-3			RQ 2270 kg final RQ
AMMONIUM HYDROXIDE	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
SODIUM HYDROXIDE	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ
SAFROLE	100 lb	-	RQ 100 lb final RQ
94-59-7			RQ 45.4 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
RESORCINOL 108-46-3	Х	Х	Х
AMMONIUM HYDROXIDE 1336-21-6	Х	X	Х
GLYCERIN 56-81-5	Х	X	Х
AMINOMETHYL PROPANOL 124-68-5	Х	X	Х
SODIUM HYDROXIDE 1310-73-2	Х	X	Х

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Revision Date

31-May-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet