

# SAFETY DATA SHEET

Issue Date 31-May-2017

Revision Date 31-May-2017

Version 1

# **1. IDENTIFICATION**

| <u>Product identifier</u><br>Product Name     | FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE HAIR COLOR - LIGHT VIOLET BLUE |
|---|---|
| Other means of identification<br>Product Code | A51H050002  |
| Recommended use of the chemical               | and restrictions on use   |
| Recommended Use                               | Personal Care Product. For professional use only.                           |
| Uses advised against                          | All other uses. Not for personal use in this form or concentration.         |
| Details of the supplier of the safety         | data sheet  |
| Supplier Address                              |   |
| The Estée Lauder Companies Inc.               |   |
| 125 Pinelawn Road                             |   |
| Melville, NY 11747                            |   |
| Emergency telephone number                    |   |
| Company Phone Number                          | 1-877-311-3883  |
| Emergency Telephone                           | Chemtrec 1-800-424-9300   |
|   | Chemtrec International +1 703-741-5970                                      |
| E-mail address                                | SDS@ESTEE.COM   |
|   | 2. HAZARDS IDENTIFICATION   |

## **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 2 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |

#### Label elements

Danger

Hazard statements Causes skin irritation Causes serious eye damage



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

## A51H050002 - FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE HAIR COLOR - LIGHT VIOLET BLUE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Unknown acute toxicity

10.9% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### <u>Mixture</u>

| Chemical Name                 | CAS No.                                   | Weight-%             |
|-------------------------------|---|----------------------|
| GLYCERYL STEARATE             | 31566-31-1                                | 1 - 5*               |
| AMMONIUM HYDROXIDE            | 1336-21-6                                 | 1 - 5*               |
| GLYCERIN                      | 56-81-5                                   | 1 - 5*               |
| *The exact percentage (concer | ntration) of composition has been withhel | d as a trade secret. |

xact percentage (concentration) or composition has been withheid as a trade set

# 4. FIRST AID MEASURES

## Description of first aid measures

| General advice   | No hazards which require special first aid measures.   |  |  |
|--|--|--|--|
| Eye contact  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.                        |  |  |
| Skin contact   | Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.  |  |  |
| Inhalation   | Remove to fresh air. If symptoms persist, call a physician.  |  |  |
| Ingestion  | Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately. |  |  |
| Self-protection of the first aider   | Use personal protective equipment as required.   |  |  |
| Most important symptoms and effects, both acute and delayed                |  |  |  |
| Symptoms   | None known.  |  |  |
| Indication of any immediate medical attention and special treatment needed |  |  |  |
| Note to physicians   | Treat symptomatically.   |  |  |
| 5. FIRE-FIGHTING MEASURES  |  |  |  |

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

| Small Fire | Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control. |
|------------|--|
| Large Fire | Flood fire area with water from a distance.  |

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

Explosion data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

| Personal precautions              | Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection. |  |
|-----------------------------------|--|--|
| Environmental precautions         |  |  |
| Environmental precautions         | Prevent product from entering drains. Dispose of contents/container to an approved waste disposal plant.   |  |
| Methods and material for containm | ent and cleaning up  |  |
| Methods for containment           | Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect spillage.   |  |
| Methods for cleaning up           | Clean contaminated surface thoroughly.   |  |

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep<br/>containers upright and tighly closed when not in use.Incompatible materialsAcids. Bases. Alcohols. Combustible material.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

## A51H050002 - FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE HAIR COLOR - LIGHT VIOLET BLUE

| Chemical Name                   | ACGIH TLV   | OSHA PEL   | NIOSH IDLH |  |
|---------------------------------|---|--|------------|--|
| GLYCERYL STEARATE<br>31566-31-1 | TWA: 10 mg/m <sup>3</sup> except stearates<br>of toxic metals             | -  | -          |  |
| GLYCERIN                        | -   | TWA: 15 mg/m <sup>3</sup> mist, total  | -          |  |
| 56-81-5                         |   | particulate  |            |  |
|                                 |   | TWA: 5 mg/m <sup>3</sup> mist, respirable fraction   |            |  |
| Appropriate engineering contro  | ls  |  |            |  |
| Engineering Controls            | Eyewash stations. Shower  | s. Ventilation systems.  |            |  |
| Individual protection measures, | such as personal protective   | equipment  |            |  |
| Eye/face protection             | Wear safety glasses with s  | side shields (or goggles).   |            |  |
| Skin and body protection        | Wear protective gloves an   | d protective clothing.   |            |  |
| Respiratory protection          | In case of insufficient ventilation, wear suitable respiratory equipment. |  |            |  |
| General Hygiene Consideration   |   | Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended. |            |  |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Odor Color Liquid smooth, shiny, viscous emulsion (not grainy) strong ammonia off-white to yellowish tan

Property pН Melting point/freezing point Boiling point / boiling range Flash point **Burn rate Burn time Evaporation rate** Flammability (solid, gas) Flammability Limit in Air **Upper flammability limit:** Lower flammability limit: Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties** 

**Other Information** 

Softening point Molecular weight VOC Content (%) <u>Values</u> No information available No information available 94 °C / 201 °F Not applicable Not applicable No information available No information available

No information available No information available No information available No information available .995 No information available No information available No information available 1200000 No information available No information available No information available No information available No information available

No information available No information available No information available Density Bulk density No information available No information available

# **10. STABILITY AND REACTIVITY**

 Reactivity

 No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to avoid

 Extremes of temperature and direct sunlight.

 Incompatible materials

 Acids. Bases. Alcohols. Combustible material.

 Hazardous Decomposition Products

 None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

| Product Information | No data available  |
|---------------------|--------------------|
| Inhalation          | No data available. |
| Eye contact         | No data available. |
| Skin contact        | No data available. |
| Ingestion           | No data available. |

#### Component Information

Data within this section obtained from international chemical toxicological profiles.

| Chemical Name                   | Oral LD50           | Dermal LD50        | Inhalation LC50     |
|---------------------------------|---------------------|--------------------|---------------------|
| AMMONIUM HYDROXIDE<br>1336-21-6 | = 350 mg/kg (Rat)   | -                  | -                   |
| GLYCERIN<br>56-81-5             | = 12600 mg/kg (Rat) | > 10 g/kg (Rabbit) | > 570 mg/m³(Rat)1 h |

#### Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization<br>Germ cell mutagenicity<br>Carcinogenicity | No information available.<br>No information available.<br>This product does not contain any carcinogens or potential carcinogens as listed by OSHA,<br>IARC or NTP. |
|--|---|
| Reproductive toxicity                                      | No information available.   |
| STOT - single exposure                                     | No information available.   |
| STOT - repeated exposure                                   | No information available.   |
| Target Organ Effects                                       | Eyes, Respiratory system, kidney, Skin.   |
| Aspiration hazard  | No information available.   |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

#### **12. ECOLOGICAL INFORMATION** Ecotoxicity None known Persistence and degradability No information available. **Bioaccumulation** No information available. No information available Other adverse effects **13. DISPOSAL CONSIDERATIONS** Waste treatment methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR **Disposal of wastes** 261). Do not reuse container. Contaminated packaging **14. TRANSPORT INFORMATION** DOT UN/ID no. UN1760 Proper shipping name Corrosive liquid, n.o.s. **Hazard Class** 8 **Packing Group** Ш **Special Provisions** B2, IB2, TII, TP2, TP27 Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II, **Emergency Response Guide** 154 Number TDG UN/ID no. UN1760 Proper shipping name Corrosive liquid, n.o.s. **Hazard Class** 8 **Packing Group** Ш Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II, MEX UN/ID no. UN1760 Proper shipping name Corrosive liquid, n.o.s. Hazard Class 8 **Packing Group** Ш Description UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II ICAO (air) UN/ID no. UN1760 Proper shipping name Corrosive liquid, n.o.s. **Hazard Class** 8 **Packing Group** Ш Special Provisions A3

| Description   | UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II   |
|---|--|
| IATA<br>UN/ID no.<br>Proper shipping name<br>Hazard Class<br>Packing Group<br>ERG Code<br>Special Provisions  | UN1760<br>Corrosive liquid, n.o.s.<br>8<br>II<br>8L<br>A3, A803  |
| IMDG<br>UN/ID no.<br>Proper shipping name<br>Hazard Class<br>Packing Group<br>EmS-No.<br>Special Provisions<br>Description  | UN1760<br>Corrosive liquid, n.o.s.<br>8<br>II<br>F-A, S-B<br>274<br>UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II, Marine Pollutant |
| <u>RID</u><br>UN/ID no.<br>Proper shipping name<br>Hazard Class<br>Packing Group<br>Classification code<br>Description<br>Labels  | UN1760<br>Corrosive liquid, n.o.s.<br>8<br>II<br>C9<br>UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II<br>8                           |
| ADR<br>UN/ID no.<br>Proper shipping name<br>Hazard Class<br>Packing Group<br>Classification code<br>Tunnel restriction code<br>Special Provisions<br>Description<br>Labels        | UN1760<br>Corrosive liquid, n.o.s.<br>8<br>II<br>C9<br>(E)<br>274<br>UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II, (E)<br>8        |
| ADN<br>UN/ID no.<br>Proper shipping name<br>Hazard Class<br>Packing Group<br>Classification code<br>Special Provisions<br>Description<br>Hazard label(s)<br>Limited quantity (LQ) | UN1760<br>Corrosive liquid, n.o.s.<br>8<br>II<br>C9<br>274<br>UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE), 8, II<br>8<br>1 L             |

# **15. REGULATORY INFORMATION**

# US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## CWA (Clean Water Act)

# A51H050002 - FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE HAIR COLOR - LIGHT VIOLET BLUE

| Chemical Name      | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|--------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| AMMONIUM HYDROXIDE | 1000 lb                        | -                      | -                         | Х                             |
| 1336-21-6          |                                |                        |                           |                               |

## CERCLA

|   | Chemical Name      | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---|--------------------|--------------------------|----------------|--------------------------|
| Γ | AMMONIUM HYDROXIDE | 1000 lb                  | -              | RQ 1000 lb final RQ      |
| L | 1336-21-6          |                          |                | RQ 454 kg final RQ       |
|   | SAFROLE            | 100 lb                   | -              | RQ 100 lb final RQ       |
|   | 94-59-7            |                          |                | RQ 45.4 kg final RQ      |

## US State Regulations

## U.S. State Right-to-Know Regulations

| Chemical Name                   | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------|------------|---------------|--------------|
| AMMONIUM HYDROXIDE<br>1336-21-6 | Х          | X             | Х            |
| GLYCERIN                        | Х          | X             | Х            |
| 56-81-5                         |            |               |              |

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

**Revision Date** 

31-May-2017

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**