

SAFETY DATA SHEET

Issue Date 31-May-2017	Revision Date 31-May-2017	Version 1
	1. IDENTIFICATION	
Product identifier Product Name	FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE F	HAIR COLOR - PURE
Other means of identification Product Code	A51J020002	
<u>Recommended use of the chemic</u> Recommended Use Uses advised against	al and restrictions on use Personal Care Product. For professional use only. All other uses. Not for personal use in this form or concentration	
Details of the supplier of the safe Supplier Address The Estée Lauder Companies Inc. 125 Pinelawn Road Melville, NY 11747	ty data sheet	
Emergency telephone number Company Phone Number Emergency Telephone	1-877-311-3883 Chemtrec 1-800-424-9300 Chemtrec International +1 703-741-5970	
E-mail address	SDS@ESTEE.COM	
	2. HAZARDS IDENTIFICATION	

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

Danger

Hazard statements Causes skin irritation Causes serious eye damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity

13.1% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
GLYCERYL STEARATE	31566-31-1	1 - 5*
AMMONIUM HYDROXIDE	1336-21-6	1 - 5*
GLYCERIN	56-81-5	1 - 5*
1-NAPHTHOL	90-15-3	1 - 5*
*The exact percentage (conce	ntration) of composition has been withhel	ld as a trade secret

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	No hazards which require special first aid measures.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	None known.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire	Use water. Do not use dry chemicals or foams. CO 2 or Halon may provide limited control.
Large Fire	Flood fire area with water from a distance.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

Explosion data Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection.
Environmental precautions	
Environmental precautions	Prevent product from entering drains. Dispose of contents/container to an approved waste disposal plant.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect spillage.
Methods for cleaning up	Clean contaminated surface thoroughly.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers upright and tighly closed when not in use.
Incompatible materials	Acids. Bases. Alcohols. Combustible material.
8. EX	POSURE CONTROLS/PERSONAL PROTECTION
Control parameters	
Exposure Guidelines	The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure

	11 0	on for which this safety data sheet time, the other relevant constitue ed here.	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

A51J020002 - FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE HAIR COLOR - PURE BLUE

GLYCERYL STEARATE 31566-31-1	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
GLYCERIN 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction	-
Appropriate engineering control	ols		
Engineering Controls	Eyewash stations. Shower	rs. Ventilation systems.	
Individual protection measures	s, such as personal protective	equipment	
Eye/face protection	Wear safety glasses with s	side shields (or goggles).	
Skin and body protection	Wear protective gloves an	d protective clothing.	
Respiratory protection	In case of insufficient vent	ilation, wear suitable respiratory e	equipment.
General Hygiene Consideratior	ns Handle in accordance with equipment, work area and	good industrial hygiene and safe clothing is recommended.	ety practice. Regular cleaning of

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Liquid smooth, shiny, viscous emulsion (not grainy)
Odor	strong ammonia
Color	off-white to yellowish tan
-	
Property	Values
рН	No information available
Melting point/freezing point	No information available
Boiling point / boiling range	No information available
Flash point	94 °C / 201 °F
Burn rate	Not applicable
Burn time	Not applicable
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	.995
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	625000
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available
•	

10. STABILITY AND REACTIVITY

 Reactivity

 No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to avoid

 Extremes of temperature and direct sunlight.

 Incompatible materials

 Acids. Bases. Alcohols. Combustible material.

 Hazardous Decomposition Products

 None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Component Information

Data within this section obtained from international chemical toxicological profiles.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg (Rat)	-	-
GLYCERIN 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³(Rat)1 h
1-NAPHTHOL 90-15-3	= 1870 mg/kg(Rat)	= 880 mg/kg (Rabbit)	> 420 mg/m³(Rat)1 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
	IARC or NTP.

Reproductive toxicity No information available.	
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Eyes, Respiratory system, kidney, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

Persistence and degradability No information available.

no information available.

Bioaccumulation

No information available.

Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number	UN1760 Corrosive liquid, n.o.s. 8 II B2, IB2, TII, TP2, TP27 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II 154
<u>TDG</u> UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1760 Corrosive liquid, n.o.s. 8 II UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II
<u>MEX</u> UN/ID no. Proper shipping name Hazard Class Packing Group Description	UN1760 Corrosive liquid, n.o.s. 8 II UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II
ICAO (air) UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN1760 Corrosive liquid, n.o.s. 8 II A3 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

IATA UN/ID no. Proper shipping name Hazard Class Packing Group ERG Code Special Provisions	UN1760 Corrosive liquid, n.o.s. 8 II 8L A3, A803
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group EmS-No. Special Provisions Description	UN1760 Corrosive liquid, n.o.s. 8 II F-A, S-B 274 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II
RID UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Description Labels	UN1760 Corrosive liquid, n.o.s. 8 II C9 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II 8
ADR UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Tunnel restriction code Special Provisions Description Labels	UN1760 Corrosive liquid, n.o.s. 8 II C9 (E) 274 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II, (E) 8
ADN UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ)	UN1760 Corrosive liquid, n.o.s. 8 II C9 274 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II 8 1 L

15. REGULATORY INFORMATION

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name CWA - Reportable CWA - Toxic Pollutants CWA - Priority Pollutants CWA - Hazardous

A51J020002 - FULL SPECTRUM PROTECTIVE PERMANENT PURE TONE HAIR COLOR - PURE BLUE

	Quantities			Substances
AMMONIUM HYDROXIDE	1000 lb	-	-	Х
1336-21-6				
SODIUM HYDROXIDE	1000 lb	-	-	Х
1310-73-2				
CERCLA				

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SODIUM HYDROXIDE 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SAFROLE 94-59-7	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMMONIUM HYDROXIDE 1336-21-6	Х	X	X
GLYCERIN 56-81-5	Х	Х	Х
SODIUM HYDROXIDE 1310-73-2	Х	Х	Х

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Revision Date

31-May-2017

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet