	to ANSI Z400.1/Z129.1-2010 (29 CFR 1910) (US)		
Elumen Return			
Article number 201277 = 250ml			
KAO USA Inc.			
Linthicum Heights, MD 21090			
Created: 13.08.2012, Revision 13.08.2012		Version 01	Page 1 / 8
SECTION 1: Identification of the subst	ance / preparation and of the company		
Product identifier	Elumen Return Article number 201277 = 250ml		
Relevant identified uses of the substance or mixture and uses advised against	remove hair color		
Identified use	Cosmetics		
Company	KAO USA Inc.		
	Linthicum Heights, MD 21090 / USA Phone 001410-850-7555		
Address enquiries to			
Emergency phone Advisory body	CHEMTREC: +1 703 527-3887 (24h)		
Safety Data Sheet	sdb@chemiebuero.de		
SECTION 2: Hazards identification			
Emergency Overview			
Appearance, Odor:	Viscous liquid, colourless yellowish, characteristic		
	WARNING		
	FLAMMABLE LIQUID AND VAPOR		
OSHA Regulatory Status			
	This product is defined as an Cosmetics. Therefore, this product of the hazard communication standard, 29 CFR1910.1200.	is exempt from r	equirements
Potential health effects			
	No particular hazards known.		
Potential environmental effects			
	Does not contain any PBT or vPvB substances.		

SECTION 3: Composition / Information on ingredients

The product is a mixture.

Range [%]	Substance
1 - <20	Ethanol
	CAS: 64-17-5
1 - <5	Polyethyleneglycol
	CAS: 25322-68-3
1 - <5	Quaternary ammonium compounds, C20-22-alkyltrimethyl, chlorides
	CAS: 68607-24-9
1 - <5	2-Aminoethanol
	CAS: 141-43-5

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

For the wording of the listed risk phrases refer to SECTION 16.

Created: 13.08.2012, Revision 13.08.2012 Version 01 Page 2 / 8 SECTION 4: First aid measures Description of first aid measures Change soaked clothing. Inhalation Ensure supply of fresh air. In the event of symptoms seek for medical treatment. Skin contact In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists. Eve contact In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice. Ingestion Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Indication of any immediate medical Treat symptomatically. attention and special treatment needed Forward this sheet to the doctor. SECTION 5: Fire-fighting measures Suitable extinguishing media Alcohol-resistant foam. Dry powder. Carbon dioxide. Water spray jet.

Extinguishing media that must not be used	Full water jet.
Special exposure hazards arising from the substance or preparation itself or combustion products	Unknown risk of formation of toxic pyrolysis products.
Special protective equipment for firefighters	Use self-contained breathing apparatus.
Additional information	Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	High risk of slipping due to leakage/spillage of product.
	Keep away from all sources of ignition.
Environmental precautions	Do not discharge into the drains/surface waters/groundwater.
Methods and material for containment and cleaning up	Take up with absorbent material (e.g. general-purpose binder).
	Dispose of absorbed material in accordance within the regulations.
SECTION 7: Handling and storage	
Precautions for safe handling	No special measures necessary if used correctly.
Advice on protection against fire and	
explosion	Keep away from all sources of ignition - Refrain from smoking.
	Keep away from all sources of ignition - Refrain from smoking. Keep only in original container.

Further information on storage conditions

conditions Keep container tightly closed. Protect from heat/overheating.

Linthicum Heights, MD 21090

Created: 13.08.2012, Revision 13.08.2012

SECTION 8: Exposure controls / personal protection

nits to be monitored (US)			
Range [%] Substance			
1 - <5 2-Aminoethanol			
CAS: 141-43-5, EINECS	/ELINCS: 205-483-3, EU-INDEX: 603-030-00-8		
Long-term exposure: 2 p	pm, 5 mg/m³, NIOSH		
Short-term exposure (15-	Short-term exposure (15-minute): 4 ppm, 10 mg/m ³		
1 - <5 Polyethyleneglycol			
CAS: 25322-68-3, EINEC	CS/ELINCS: Polymer		
Long-term exposure: nor	ie listed		
1 - <20 Ethanol			
CAS: 64-17-5, EINECS/E	ELINCS: 200-578-6, EU-INDEX: 603-002-00-5, ECB-Nr.: 01-2119457610-43-xxxx		
Long-term exposure: 100	00 ppm, 1900 mg/m³, OSHA, NIOSH		
espiratory protection	not applicable		
and protection	The details concerned are recommendations. Please contact the glove supplier for further information.		
	In full contact		
	butyl rubber, > 120 min (EN 374)		
ye protection	Safety glasses.		
kin protection	not applicable		
eneral protective measures	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.		
	Avoid contact with eyes and skin.		
	Do not inhale vapours.		
ygiene measures	Do not eat, drink, smoke or take drugs at work.		
	Wash hands before breaks and after work.		
	Use barrier skin cream.		
elimitation and monitoring of the nvironmental exposition	See SECTION 6+7.		

Page 3 / 8

Version 01

Linthicum Heights, MD 21090

Created: 13.08.2012, Revision 13.08.2012

SECTION 9: Physical and chemical properties

Form	Viscous liquid
Color	colourless
	yellowish
Odor	characteristic
pH-value	10,4 - 10,9
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	33
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,984 - 0,989 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	12000 - 22000 (20 °C / 68 °F) (Brookfield RV DVIII sp 4, 5UpM)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature	not determined
SECTION 10: Stability and reactivity	

Reactivity	No dangerous reactions known if used as directed.
Chemical stability	The product is stable under standard conditions.
Possibility of hazardous reactions	Reactions with strong oxidizing agents. Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.
Conditions to avoid	See SECTION 7.2. Strong heating.
Incompatible materials	not determined
Hazardous decomposition products	No hazardous decomposition products known.

Page 4 / 8

Version 01

Linthicum Heights, MD 21090

Created: 13.08.2012, Revision 13.08.2012

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

, loate textony		
Range [%] Sut	ostance	
1 - <5 Pol	Polyethyleneglycol, CAS: 25322-68-3	
LD	50, dermal, Rabbit: >2000 m	ng/kg.
LD	50, oral, Rat: >2000 mg/kg.	
1 - <5 Qua	aternary ammonium compo	unds, C20-22-alkyltrimethyl, chlorides, CAS: 68607-24-9
LD	50, oral, Rat: >2000 mg/kg (OECD 401).
1 - <20 Eth	anol, CAS: 64-17-5	
LC	50, inhalative, mouse: > 60	mg/l/1h (OECD 403).
LC	50, inhalative, Rat (female):	55 mg/l/4h (OECD 403).
LD	50, oral, Rat: 10470 mg/kg (OECD 401).
LD	50, oral, mouse: 8350 mg/kg	g (OECD 401).
NO	AEL, inhalative, Rat (male):	> 20 mg/l (20d, OECD 403).
LC	50, inhalative, Rat (male): 5	1 mg/l/4h (OECD 403).
NO	AEL, oral, Rat (female): 173	30 mg/kg bw/d (90d, OECD 408).
1 - <5 2-A	minoethanol, CAS: 141-43-	5
LD	50, dermal, Rabbit: 1025 mg	y/kg (IUCLID).
LD	50, oral, Rat: 1720 mg/kg (Il	JCLID).
Acute oral toxicity		not determined
Acute dermal toxic	city	not determined
Serious eye damag	5	Non-irritant.
Skin corrosion/irri	tation	Non-irritant.
Respiratory or skin	n sensitisation	not determined
Specific target org exposure	jan toxicity — single	not determined
Specific target org exposure	an toxicity — repeated	not determined
Mutagenicity		not determined
Reproduction toxic	city	not determined
Carcinogenicity		not determined
General remarks		The toxiclogical data are those of the pure product.
		The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials. This is a cosmetic product that is safe under intended and reasonable foreseeable use. Taking into account the use instructions, the toxicological profile of the ingredients and the evaluation of the final formulation this product is considered as safe and thus not harming human health.

http://www.chemiebuero.de, Phone +49 (0)941-566-398 (-455), E-mail info@chemiebuero.de, v. 120810a

Linthicum Heights, MD 21090

Created: 13.08.2012, Revision 13.08.2012

SECTION 12: Ecological information

Toxicity

Range [%] Substance			
1 - <5 Polyethyleneglycol, CAS: 253	22-68-3		
LC50, (96h), Cyprinus carpio:	>1000 mg/l (OECD 203).		
EC50, (72h), Scenedesmus s	ubspicatus: >1000 mg/l (OECD 201).		
EC50, (48h), Daphnia magna:	: >1000 mg/l (OECD 203).		
1 - <5 Quaternary ammonium compo	ounds, C20-22-alkyltrimethyl, chlorides, CAS: 68607-24-9		
EC50, (72h), Desmodesmus s	subspicatus: 3,4 mg/l (OECD 201).		
NOEC, (21d), Daphnia magna	NOEC, (21d), Daphnia magna: 0,13 mg/l (OECD 211).		
EC50, (48h), Daphnia magna:	EC50, (48h), Daphnia magna: 1,4 mg/l (OECD 202).		
LC50, (96h), fish: 0,5 mg/l (OI	ECD 203).		
1 - <20 Ethanol, CAS: 64-17-5			
LC50, (48h), Daphnia magna:	12340 mg/l (ASTM E729-80).		
LC50, (96h), Oncorhynchus m	nykiss: 13000 mg/l (OECD 203).		
LC50, (24h), Oncorhynchus m	nykiss: 11200 mg/l (US EPA E03-05).		
EC10, (72h), Chlorella vulgari	s: 11,5 mg/l (OECD 201).		
EC50, (72h), Chlorella vulgari			
1 - <5 2-Aminoethanol, CAS: 141-43			
EC50, (48h), Daphnia magna:			
LC50, (96h), Cyprinus carpio:			
Fish toxicity	not determined		
Daphnia toxicity	not determined		
Behaviour in environment compartments	not determined		
Behaviour in sewage plant	not determined		
Bacteria toxicity	not determined		
Biological degradability	not determined		
COD	not determined		
BOD 5	not determined		
AOX-advice	not applicable		
2006/11/EC:	not applicable		
Other adverse effects	The product was classified on the basis of the calculation procedure of the preparation directive.		
	The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.		
SECTION 13: Disposal considerations			

Product

For recycling, consult manufacturer.

Contaminated packaging RCRA Hazard Class (40CFR 261) Disposal in an incineration plant in accordance with the regulations of the local authorities. Uncontaminated packaging may be taken for recycling. Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

Page 6 / 8

Version 01

Safety Data Sheet (SDS) conforms	to ANSI Z400.1/Z129.1-2010 (29 CFR 1910) (US)		
Elumen Return			
Article number 201277 = 250ml			
KAO USA Inc.			
Linthicum Heights, MD 21090			
Created: 13.08.2012, Revision 13.08.2012		Version 01	Page 7 / 8
SECTION 14: Transport information			
Transport by land according to ADR/RID	UN 1266 Perfumery products 3 III		
- Classification Code	F1		
- Label			
- ADR LQ	51		
- ADR 1.1.3.6 (8.6)	Transport category (tunnel restriction code) 3 (D/E)		
Inland navigation (ADN)	UN 1266 Perfumery products 3 III		
- Classification Code	F1		
- Label			
Marine transport in accordance with IMDG	UN 1266 Perfumery products 3 III		
- EMS	F-E, S-D		
- Label			
- IMDG LQ	51		
Air transport in accordance with IATA	UN 1266 Perfumery products 3 III		
- Label	•		
DOT Road Shipment Information (49 CFR)	UN/NA 1266 Perfumery products 3 III		
- Label	PLAMABLE 3		
SECTION 15: Regulatory information			

US Regulations

National regulations	29 CFR 1910.1200, ANSI Z400.1-2010, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65
- SARA, 302	This product is not classified as hazardous under SARA 302.
- SARA, 311	This product is not classified as hazardous under SARA 311.
- SARA, 313	One or some ingredient(s) are listed under this regulation.
- CA Proposition 65	All chemical substances in this material are not named in California-P65 list.
- TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.
- FDA	not determined
American Conference of Governmental Industrial Hygienists - ACGIH	Ingredients not listed as carcinogens.
International Agency for Research on Cancer IARC	Ingredients not listed as carcinogens.
National Toxicology Program - NTP	This product is named NTP - National Toxicology Program.
Transport-regulations	DOT-Classification, ADR (2011); IMDG-Code (2011, 35. Amdt.); IATA-DGR (2012).
EC Regulations	
	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
Labelling	The product is classified and required to be labelled in accordance with EC-Directives
Hazard symbols	none
R-phrases	R 10: Flammable.
S-phrases	S 24/25: Avoid contact with skin and eyes.
Special labelling	none

Elumen Return	nforms to ANSI Z400.1/Z129.1-2010 (29 CFR 191	-/ (/	
Article number 201277 = 250	ml		
KAO USA Inc.			
Linthicum Heights, MD 210	90		
Created: 13.08.2012, Revision 13.08.	2012	Version 01	Page 8 / 8
SECTION 16: Other information	S		
Observe employment restrictions for	or people yes		
648/2004/CE	not applicable		
HMIS Ratings			
HEALTH	1 - Slight Hazard		
FLAMMABILITY	3 - Severe Hazard		
REACTIVITY	0 0 - Minimal Hazard		
PERSONAL PROTECTION	B B - Safety Glasses and Gloves		
NFPA Ratings			
3	TOP, FLAMMABILITY: 3 - Severe Hazard		
1 0	LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTI\	/ITY: 0 - Minimal Hazard	
	BOTTOM, SPECIAL NOTICE: FLL - Flammable Liq	uid	
FLL			

= Department of Transportation; EINCES = European Inventory of Existing Commercial Chemical Substances; EPA = Environmental Protection Agency; IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit; TSCA = Toxic Substances Control Act

Copyright: Chemiebüro®