Printing date 08/31/2017

Reviewed on 08/31/2017

1 Identification

- · Product identifier
- · Trade name: GOLDWELL TOPCHIC HAIR COLOR
- · Article number: FOR ALL CANS 250ML
- Product category PC39 Cosmetics, personal care products
- · Application of the substance / the mixture Hair cosmetics

Manufacturer/Supplier: Kao USA Inc. 2535 Spring Grove Avenue Cincinnati, Ohio 45214 / USA

KaoGermanySDS@kao.com

- · Information department: CHEMTREC
- Emergency telephone number: CHEMTREC (US): (0800) 424-9300 CHEMTREC (Outside US): +1 (703) 527-3887 (24h)

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Alcohols, C16-18 and C18-unsatd., ethoxylated(Polyoxyethylene (5) Oleyl Ether Phosphate) 2-methyl-p-phenylenediamine sulphate ammonia

Coconut Monoethanolamide

1-(2-hydroxyethyl)-1H-pyrazol-4,5-diyldiammoniumsulfate

· Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P280	Wear protective gloves.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse

- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.
- Classification system:

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)

⁻ US

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

Health = *0

Fire = 0

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated(Polyoxyethylene (5) Oleyl Ether Phosphate)	2.5-10%	
	Eye Dam. 1, H318 Skin Irrit. 2, H315		
CAS: 1336-21-6	ammonia	≥2.5- <i>≤</i> 5%	
	🔗 Skin Corr. 1B, H314		
CAS: 112-80-1	oleic acid, pure	<i>≥</i> 0.1- <i>≤</i> 2.5%	
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
CAS: 68140-00-1	Coconut Monoethanolamide	<i>≥1-≤</i> 2.5%	
	Eye Dam. 1, H318 Skin Irrit. 2, H315		
CAS: 615-50-9	2-methyl-p-phenylenediamine sulphate	<i>≥1-≤</i> 2.5%	
	Acute Tox. 3, H301 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317		
CAS: 155601-30-2	1-(2-hydroxyethyl)-1H-pyrazol-4,5-diyldiammoniumsulfate Eye Dam. 1, H318 Skin Sens. 1, H317	<i>≥</i> 0.1- <i>≤</i> 1%	

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eve for several minutes under running water. Then consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor: Treat symptomatically.

Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

US

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed. Keep container in a well-ventilated plase.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

(Contd. of page 2)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

· Protection of hands:

Not required under normal conditions. The details concerned are recommendations. The glove material has to be impermeable and resistant to the product / the substance / the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. - Please contact the glove supplier for further information.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Not required under normal conditions If there is a risk of splashing: safety glasses

9 Physical and chemical properties

Information on basic physical and General Information	
Appearance:	
Form:	Aerosol
Color:	Colorless
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure at 20°C (68 °F):	23hPa (17.3 mm Hg)
Density at 20°C (68 °F):	0.995g/cm³ (8.30328 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	t er): Not determined.
Viscosity:	
Dynamic at 20°C (68 °F):	15000mPas

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

	(Contd. of	page 4)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.3 %	
Water:	64.2 %	
VOC content:	0.3 %	
Solids content:	26.5%	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No dangerous reactions known if used as directed.

- Chemical stability The product is stable under standard conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reactions with acids and strong oxidizing agents
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- CAS: 615-50-9 2-methyl-p-phenylenediamine sulphate

Oral LD50 102 mg/kg (rat)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-46-3 resorcinol

CAS: 64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

3

1

⁻ US

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1950
UN proper shipping name DOT IMDG IATA	Aerosols, non-flammable AEROSOLS AEROSOLS, non-flammable
Transport hazard class(es)	
DOT	
Class Label	2.2 2.2
Class	2 5A Gases
Label	2.2
IMDG, IATA	
Class	2.2
Class Label	2.2 2.2

- US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

	(Contd. of page 6)		
 Special precautions for user Danger code (Kemler): 	Warning: Gases		
· EMS Number:	- F-D,S-U		
· Segregation groups	Ammonium compounds		
Stowage Code	SW1 Protected from sources of heat.		
olonage ooue	SW22 For AEROSOLS with a maximum capacity of		
	1 litre: Category A. For AEROSOLS with a capacity		
	above 1 litre: Category B. For WASTE AEROSOLS:		
	Category C, Clear of living quarters.		
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.		
, .	Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.		
· Transport/Additional information:			
·DOT			
· Quantity limitations	On passenger aircraft/rail: 75 kg		
-	On cargo aircraft only: 150 kg		
·IMDG			
 Limited quantities (LQ) 	1L		
Excepted quantities (ÉQ)	Code: E0		
<u> </u>	Not permitted as Excepted Quantity		
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.2		

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 1336-21-6 ammonia	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 64-17-5 ethanol	
	Contd. on page 8)

Printing date 08/31/2017

Reviewed on 08/31/2017

Trade name: GOLDWELL TOPCHIC HAIR COLOR

(Contd. of page 7)

A4

A3

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 108-46-3 resorcinol

CAS: 64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Department issuing SDS: Regulatory Affairs

· Date of preparation / last revision 08/31/2017 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, ÉU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.