

**PROPRIETARY INGREDIENTS** 

**45% POTASSIUM HYDROXIDE** 

29% AMMONIUM HYDROXIDE

**ESSENTIAL OILS MIXTURE** 

NA

NA

1310-58-3

1336-21-6

NA

NA

TT2100000

BQ9625000

# MATERIAL SAFETY DATA SHEET

Page 1 of 6

**IG-007** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 PRODUCT IDENTIFICATION Product Name: **IGORA ROYAL & FASHION** 1.2 Chemical Name **ALKALI SOLUTION** 1.3 Synonyms: NA 1.4 Trade Names: ΝΔ Product Use: 1.5 PROFESSIONAL OR SUNDRY USE ONLY 1.6 Distributor's Name SCHWARZKOPF, INC. 1.7 Distributor's Address: 6047 BRISTOL PARKWAY, SUITE 200, CULVER CITY, 90230 USA 1.8 CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887 19 Business Phone: +1 (310) 641-4600 2. HAZARD IDENTIFICATION 2.1 May be irritating to the eyes. Prolonged skin contact may cause skin irritation. May be harmful if swallowed. Avoid breathing vapors, or dusts. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. 22 Routes of Entry Inhalation: YES Absorption: YES Ingestion: YES Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. INHALATION: Moderately irritating to the throat, esophagus and other tissues of the digestive system. 24 Contact may cause eye irritation including stinging, watering and redness. May cause redness or itching on the skin at the contact site. May cause stinging, irritation and redness of throat, esophagus and intestinal tract. Symptoms of overexposure by inhalation can include coughing, wheezing, nasal congestion, and difficulty breathing. 2.5 Acute Health Effects May cause irritation under normal conditions; will cause stinging and burning sensation to open cuts or abraded skin. SKIN: FYFS: May cause redness, burning, stinging, possible serious injury or blindness if left untreated. May cause irritation in mouth, chest and stomach resulting in vomiting and shortness of breath. INHALATION: May cause irritation to respiratory system resulting in hoarseness and tightness of throat in cases of prolonged exposure. 2.6 No chronic health effects are expected to occur from a single accidental ingestion. May develop sensitivity. If rash occurs, stop using and obtain medical attention. Target Organs: 2.7 Eyes & skin. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH - ppm OSHA - ppm **OTHER** % CAS No. RTECS No. **EINECS No.** STEL CHEMICAL NAME(S) TLV STEL PEL **IDLH** 

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

NA

NΔ

215-181-3

215-647-6

NΑ

≤ 5.0

≤ 5.0

≤ 1.0

NA

(2)

NΔ

NA

NA

ΝΔ

NA

NA

25

NΔ

NA

NA

NA

ΝΔ

NΑ

NA

NA

NΔ



Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

# MATERIAL SAFETY DATA SHEET

MSDS Revision: 1.0

Page 2 of 6

IG-007

MSDS Revision Date: 01/01/2006

4. FIRST AID MEASURES 4.1 First Aid: INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. If large quantities are ingested, contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. Get medical attention immediately. If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close EYES: eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. SKIN: If redness, dryness or other signs of irritation to the skin develop, remove contaminated clothing and wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. INHALATION: Remove victim to fresh air at once. Give oxygen as necessary. 4 2 Medical Conditions Aggravated by Exposure: 2 HEALTH At increased risk from exposure are persons with preexisting skin and eye conditions. **FLAMMABILITY** 0 REACTIVITY 1 PROTECTIVE EQUIPMENT В **SKIN EYES** 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: NA 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA 5.4 Fire & Explosion Hazards: Will not burn, but decomposition may result in the formation of oxides of carbon, nitrogen and sulfur and 5.5 Extinguishing Methods: Use only large quantities of water. Flood with water and use water spray to cool fire-exposed containers and structures. 5.6 Firefighting Procedures As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fireexposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products. 6. ACCIDENTAL RELEASE MEASURES 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk.

Wear appropriate protective equipment including respiratory protection as conditions warrant.



Page 3 of 6

IG-007

Prep	ared to OSHA, ACC, ANS	I, WHMIS & 2001/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Date: 01/01/2006					
		7. HANDLING & STO	RAGE INFORMATIO	N					
'.1	Work & Hygiene Practices:								
	Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with incompatible materials (see Section 10). Keep bulk covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.								
7.2	Storage & Handling:								
	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use.								
.3	Special Precautions:								
	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.								
. 1		8. EXPOSURE CONTROLS	& PERSONAL PROTE	CTION					
3.1	Ventilation & Engineering Contro		ant whon this product is in	lico local or goneral exhaust ventilation					
	to effectively remove ar	.g., rans) or natural ventilation is sufficiently and prevent buildup of vapors or mist ge		e. Use local or general exhaust ventilatio this product.					
3.2	Respiratory Protection:								
	<u> </u>	n a well-ventilated area. A respiratory in the secondition whenever workplace condition		ts OSHA's 29 CFR 1910.134 and ANSI Z88.					
3.3	Eye Protection:								
		approved safety glasses or goggles.							
3.4	Hand Protection:								
Г	Rubber or latex gloves.  Body Protection:								
3.5	Avoid contact with skin,	eves and clothing							
	Avoid Comder with skin,	eyes and clonning.							
		9. PHYSICAL & CH	IEMICAL PROPERTIES						
9.1	Density:	0.97-0.99							
9.2	Boiling Point:	NA							
9.3	Melting Point:	NA NA							
0.4	Evaporation Rate:	NA NA							
9.5	Vapor Pressure:	ND ND							
9.6	Molecular Weight:	NA NA							
9.7	Appearance & Color:	Opaque paste with strong, am	amonia odor						
9.8	Odor Threshold:	ND	inonia caci.						
9.9	Solubility:	Soluble in water.							
9.10	рН	8.5-11.5							
9.11	Viscosity:	NA NA							
9.12	Other Information:	NA NA							
		NA .							
		10. STABILITY	/ & REACTIVITY						
0.1	Stability: Stable under normal cor	nditions; unstable with heat or contamin	nation.						
0.2	Hazardous Decomposition Products:  Oxides of carbon (CO, CO <sub>2</sub> ) and sulfur (SO <sub>2</sub> ), hydrogen sulfide (H <sub>2</sub> S), and ammonia.								
10.3	Hazardous Polymerization:  Will not occur.								
10.4	Conditions to Avoid:  Open flames, sparks, high heat and incompatible substances.								
10.5	Incompatible Substances:	ents, strong acids, excessive heat or flo	ame.						



Page 4 of 6

IG-007

Prep	ared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006						
11. TOXICOLOGICAL INFORMATION							
11.1	Toxicity Data: The product has not been tested for specific toxicity data.						
11.2	Acute Toxicity: See section 2.5						
11.3	Chronic Toxicity: See section 2.6						
11.4	Suspected Carcinogen: NO						
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.						
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.						
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.						
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.						
11.6	Irritancy of Product:  See Section 2.3						
11.7	Biological Exposure Indices:  NE						
11.8	Physician Recommendations:  Treat symptomatically.						
	12. ECOLOGICAL INFORMATION						
12.1	Environmental Stability: There is no specific data available for this product.						
12.2	Effects on Plants & Animals: There is no specific data available for this product.						
12.3	Effects on Aquatic Life: There is no specific data available for this product.						
1	13. DISPOSAL CONSIDERATIONS						
13.1	Waste Disposal: Dispose of in accordance with federal, state and local regulations.						
13.2	Special Considerations: NA						
	14 TRANSPORTATION WITCH A TON						
<b>-</b>	14. TRANSPORTATION INFORMATION						
	The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.						
14.1	49 CFR (GND): NOT REGULATED						
14.2	IATA (AIR): NOT REGULATED						
14.3	IMDG (OCN): NOT REGULATED						
14.4	TDGR (Canadian GND): NOT REGULATED						
14.5	ADR/RID (EU): NOT REGULATED						
14.6	SCT (MEXICO):  NOT REGULATED						
	1						



Page 5 of 6

**IG-007** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2006 15. REGULATORY INFORMATION SARA Reporting Requirements: 15.1 NA SARA Threshold Planning Quantity: 15.2 NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. CERCLA Reportable Quantity (RQ): 15.4 Potassium Hydroxide: 454.0 kg (1,000 lbs) 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. State Regulatory Information: The components of this product are not listed on the California Proposition 65 lists or other state criteria lists. 15.8 67/548/EEC (European Union) Requirements: The primary component of this product is listed in Annex I of EU Directive 67/548/EEC: Potassium Hydroxide: Harmful (Xn). R: 20/21/22-35-41 - Harmful by inhalation, in contact with skin and if swallowed. Causes severe burns. Risk of serious damage to eyes. S: 26-36/37/39-45 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ammonium Hydroxide: Harmful, Corrosive (Xn, C). R: R: 20/21/22-34-36/37/38-41 - Harmful by inhalation, in contact with skin and if swallowed. Causes burns. Irritating to eyes, respiratory system and skin. Risk of serious damage to eyes. S: 7-26-45 – Keep container tightly closed. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). 16. OTHER INFORMATION 16.1 Other Information: For external use only. Use only as directed. Discontinue use immediately if irritation develops. 16.2 Terms & Definitions See page 6 of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Schwarzkopf's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 Schwarzkopf, Inc. 6047 Bristol Parkway, Suite 200 Culver City, CA 90230 USA Schwarzkopf Tel: +1 (310) 641-4600 Fax: +1 (310) 641-4601 PROFESSIONAL http://www.schwarzkopf.com Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone Dangerous Goods 310-370-5700 fax Training & Consulting http://www.shipmate.com



Page 6 of 6

**IG-007** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 01/01/2006

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

#### GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number			

## **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists		
TLV	TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit			
IDLH Immediately Dangerous to Life and Health			

#### FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the
	body.


#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard			
1	1 Slight Hazard			
2	2 Moderate Hazard			
3	3 Severe Hazard			
4	Extreme Hazard			



#### PERSONAL PROTECTION RATINGS:





Gloves

**Dust Respirator** Ŷ

Airline

Hood/Mask or



## FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature					
Lower Explosive Limit - lowest percent of vapor in a volume, that will explode or ignite in the presence ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.				

### OTHER STANDARD ABBREVIATIONS:

NA	Not Available		
NR	No Results		
NE	Not Established		
ND	ND Not Determined		
ML	Maximum Limit		
SCBA	Self-Contained Breathing Apparatus		

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
₩	Use No Water		
ОХ	Oxidizer		



### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the					
	exposed animals s					
	Lethal concentration (gases) which kills 50% of the					
LC <sub>50</sub>	exposed animal					
	Concentration expressed in parts of material per million					
ppm	parts					
TD <sub>Io</sub>	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic					
TC, TCo, LCio, & LCo	effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	NDSL Canadian Non-Domestic Substance List			
PSL	L Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	U European Union (European Union Directive 67/548/EEC)			
CPR	Canada's Controlled Product Regulations			

#### EC INFORMATION:

		*	*		<b>*</b>	×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

## WHMIS INFORMATION:

$\oslash$				(T)	<b>®</b>		
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive